

3218 Commander Dr. #100
Carrollton, TX, 75006, US
DEA Number: FEI #: 3027255510



Cereal Treats - Cocoa
N/A
Matrix: Infused Product

Certificate of Analysis

Sample: CA40903002-001
Harvest/Lot ID: DSHS - CTC
Batch#: 3292
Batch Date: 08/26/24
Sample Size Received: 136 gram
Retail Product Size: 136 gram
Ordered: 08/30/24
Sampled: 08/30/24
Completed: 09/06/24

PASSED

Page 1 of 1

Sep 06, 2024 | Mary Jane's CBD

Dispensary

7115 Blanco Rd #113
San Antonio, TX, 78216, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
PASSED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.

Heavy Metals

PASSED

Metal	Result	Units	Pass / Fail	Action Level
ARSENIC-AS	ND	ppm	PASS	1.5
CADMIUM-CD	ND	ppm	PASS	0.5
MERCURY-HG	ND	ppm	PASS	3
LEAD-PB	ND	ppm	PASS	0.5

Testing was completed at a reference facility with DEA Number:
RP0607436 ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Ray Collins

Lab Director

State License # NA
ISO Accreditation # L22-753

Signature

09/06/24

Signed On